



Welcome to Steel Bits Ltd

Steel Bits Ltd is a small design company manufacturing useful magnetic site programming boards for the construction industry to include, Site Programming, Traffic Management, Hazard Information and many more.

We also offer bespoke dry wipe, white board board designs, to suit individual requirements, for internal or external use.

Our aim is to provide you with our most up to date safety products that we have designed specifically to suit the current needs of the building and construction industry.

With more than 30 years experience in this industry, we understand the needs of our customers and are constantly thinking of new and innovative products to make the building and construction industry not only safer but smarter.

This includes Stairwell Protection, Generator Spill Trays, Ladder tie Supports, Tool Charging Nest Lockers, Blade Safe with more items being designed and manufactured all of the time.

We encourage you to visit our website often and check back with us as we release more products, that will not only make your job easier, but keep your employees safer.

If you have any questions about any of our products or services please do not hesitate to

contact us at:



www.steelbits.co.uk



uk.linkedin.com/in/steel-bits-ltd-ali-steel-62313b48



www.facebook.com/Steel-Bits-Limited





MAGNETIC 4 WEEK SITE PROGRAMME BOARDS

MAGNETIC 4 WEEK PROGRAMME BOARD

Steel Bits Magnetic 4 week programme boards are designed to circulate information between contractors and sub-contractors.

By design, it is easy to use, easy to update and easy to understand, making it a really useful tool to keep on top of a busy site.

The board itself is a dry wipe graphic overlay on a 1200mm x 900mm magnetic white board and it comes as standard with, 600 descriptive magnets as shown, chosen from a pdf sample sheet emailed through following an inquiry.

The magnets come in a plastic storage box, similar to the one shown which has a company logo on the lid.

The picture below shows a board in use, which allows the men on the ground a chance to see the programme each day when they sign in and inform the management of completion times.

All magnets are standard sizes to fit a 4 week site programme, From design, to manufacture, all we will require from you is: Your magnet description, colour, design and individual quantities, by completing a simple spread sheet we will email to you and your company logo.

Email: **sales@steelbits.co.uk**, to order your 4 week programme board , giving the full site name and address, site contact number and an authorised Purchase Order from your office.

Ordering product code: 4WP

	GODMAN GODMAN							H	HESTER													
RUT	HOUSE	MONES	TUES	WED	THUR	191	MON	TUES	WED	11	1 PRI	MON	TUES	WED	THUR	FRI	MON	TUES	-	UNS CO		-
PLOT	THPE	1.000	 Constant 	39/10	31/10	1/11	4/11	5/11	6/11	7.	1/11	whee	12/11	13/11		15/11	ve/11	19/11	20/11	GITI		
36	ANDRIS			in states	-	-	-	11.00	-			The bear	Saulty.	THAT	Annas					-		
358	CHESHAASP							1.11	· mercant		100	()						PART		-	-	
under P.					, ilian						_				-	-	II SOULAN		Contraction of the	-	RANT	
24	FALLEY	anned	-	(mailed)	-	100.00	-		aleastan.		1000						-		1	-		
347	ALLEY				-	010.00	10111,0101		S I Reme	1000	1977 (Sec. 10	Bucht	a server of		The second second	a sould	and the l	and in case				
318	FANLEY				-	-	PRO MARKE	1 11 11				1. 1989 11	Address.	ALMONT .	ALANTES (A.41110	ALC: NO.	participante			1 contractor	
399	FALLET	-	-	-	-				()				THE BALLING	-		-	ABLALABORA	Taxa Inte	TACH I have			
400	FANLET		-				solution.	It and Address		+	-		and in case			110 (1) (1)	84688	PRI NUMPER	Desibes	Construction of the local division of the lo		
401	FANLET		t	Contractor				-	-		-		Presi Marries					and the subscreep	attentioner			
402	FANLET				100000			-			*	addin to the			-							
403	FAULET			-			(10000))	10.00	TILER		-		-									
404	FARLET	Care and a			-		(THE WE		TILER		-		TLLER	Contraction of the local division of the loc			-			distantine .		
344	FINCHEET	Taxan a	and and and	Page 1	Concession in the		-		1		the second second	-										
	HELMYLET	-	Country of	- and the second	1000	1	LAND	il suit	10	1 at	- Palidar sale/	-		-	-	-			-			
42	HELMILE		-			-	LAND		to. out	101	1			Lock		-					an a	
341	HELMILET						Acep .		LANC		-	4001		Hur	-						-	
340	HELMSLET	-					-		LAFE	1207	-	+160	-		*	"oot Hier		-	-		-	
	HELMSLET	-			Array and				gow.	OUT	LAND	BON TILN	£	-		Huer	Service .				tite and	-
	HELMSLEY		-		a						ROF		-	HLar	-			Hur		Str Ilue Scapedo	Seators	
337	HEAMM	-		-	analise .	Annual in 1	analyzed	THEN	CAND	(PHI	Lof	-	-	tice +	-		-	e cost tiler		Sealing Sealing	Stalis	-
					1		STREET,	1000	11.00F	OUT	180 mail	Fact the	<		*	tw	terrore (Scoller Scoller	States	Windows	Starts	
5-413	APARTNE		-			-	-		Rooman and	Co array	-							SCOTTAN		MINONUS	and the second of	
60	Ave with									and street	mantain		Balles	-	Automatic part	-	NAME AND		Automation (-	Denter	_
359		-								* 1900 m	1.000000	-	_							and the second	Automa inter	
21	Loa	Tata .									Automa at	Annual of			-				TEAMORE	these process		
sug	HEXAN	-	-									and the second s		_	married	BLANNER .					The state of	
	12.0.	STRATE STRATE	-						0											-	And the Party lines	
	HELMRET	1975	-	_						11							-		-			
346		Care Care Care Care Care Care Care Care	-	_							-						-		_			
-	THE MARTIN	lane."	-	-						111	-						-					_
			-		_					11	-	-					-					
		-	-	-					-	-							-					-
		-	_					-	-		-				-	-	-					-
										-					-		-					_
and the second	-	-																				



4 HIGH TOWER CHARGING LOCKERS

TOOL CHARGING LOCKERS

240v, ideal for locking valuable work batteries / tools whilst charging on site.

Lost tools mean delays with construction programme and financial losses for workmen.

Each compartment comes with a hasp and staple locker, to receive a padlock (not supplied).

Power Tool Charging Locker will recharge and store power tools securely on site.

Complete with 4 Lockable compartments (Hasp & Staple, Padlocks not included).

Tested to BS 6396:2008 CE Each compartment includes one 13 amp UK 3 pin socket Plug in mains at rear using a IEC-C13

(Kettle/PC style) lead

Designed to operate at 230/250 volts - Max load 13 amps

Conforms to Regulations Tested to

BS 6396:2008

External Height (mm) 1780

External Width (mm) 380

External Depth (mm) 525 Compartment Internal Height (mm) 380 Compartment Internal Width (mm) 316 Compartment Internal Depth (mm) 460 Product Weight (kg) 27

Manufacturer's Warranty 1 year

Ordering product code:

CHG-LOCK

Normal Delivery 20-25 business days.





CUSTOMER CARE CONTROL CHART

CUSTOMER CARE DOCUMENTATION

This board can come as a 600mm x 900mm, as shown, or can be enlarged to a 900mmx1200mm

Bespoke designs available.

Ordering product code:

CC-DOC-6090 for the 600mm x 900mm

CC-DOC-90120 for the 900mm x 1200mm

DEVELOPM PHASE: SITE MANA	ENT:								TROL CH	
		ANN. MARYCTICH	Millan 108	PRE-DOX DEMO REPORT & CHETELIEF	q4 youtur	to easily vitter	t ber smit	CUENDAME CARE MARCOVER	F WARK COUNTRIA HERITARIA	
rici ² minute	NATE MECRIVED	RATS RECEIVED	SATE RECEIVED	DATE BECEVEE	DATE ANCENDED	PATE	nare Recover	SALE RECEIVED	IMPA RECEIPTED	COMMENTS
_										
			1							
		-		1						
		-		-	_	-	-	1		
								1		
_				-	_	-	-			
					_					
_	_						-			
_			-							_
	-	-	-							



EMERGENCY - FIRST AID BAG (E-FAB)

E-FAB

A first-aid bag that fits unobtrusively inside your hard hat. Always accessible and available in an instant.

The Emergency First-Aid Bag (E-FAB) was originally designed for the offshore and construction industries where safety is paramount.

E-FAB safeguards workers no matter the situation: high-risk, remote or dangerous.

Once installed in your hard hat you will always have first-aid within reach in case of emergency.

Ordering Product Code: E-FAB





CONTENTS STANDARD PACK

1 Triangular bandage
2 Leukostrip 6.4mm × 76mm ×
3 Steroplast 7.0cm × 6.0cm
4 Steropad 7.5cm × 7.5cm
5 Steropad 5.0cm × 5.0cm
6 Plaster 4.0cm × 4.0cm
7 Plaster 7.5cm × 2.5cm
8 Plaster 7.5cm × 5.0cm
9 Burn bag
10 Burn gel 3.5ml
11 Virtex latex free gloves
12 Alcohol wipes × 2
13 Resuscitation mask





FIRE SAFETY DOCUMENT BOX & FOLDER

FIRE SAFETY DOCUMENTS BOX & FOLDER


This Metal Fire Document Cabinet has a red powder coated finish, a hasp and staple lock (padlock not included), The box is made to fix on the entrance to the site compound, it has a hasp and staple lock, so that you can fit a padlock, making it easy for the emergency services to cut off in an emergency to access important information regarding flammable materials.

The folder comes with an index and dividers, allowing you to store important information regarding flammable items stored within the site storage containers, offices, fuel tanks, plus an evacuation plan, showing all areas of the working site.

Cabinet Dimensions: H370mm by W300mm by D140mm

Ordering product code: **FIRE-DOC**

EMERGENCY FIRE DOCUMENT FOLDER





WEEKLY HAZARDS BOARD

WEEKLY HAZARDS BOARD

This board can come as a 1200mm x 900mm

Bespoke designs available.

Ordering product code:

WHAZ-90120 for the 900mm x 1200mm

Bellway	WEEKLY HAZARDS BOARD
SITE	The Priory, Thringstone
MONDAY 2/5/1745	FOG-Thumbs up forge
TUESDAY S	Peruice Holes Being Dug 11,12,15,16 rane, set up outside PIZX
WEDNESDAY 415117	
THURSDAY	
615117	
SATURDAY ZISI(7	- www.commic.co.k



HOTS WORKS BOARD (HOTWK)

This Hot Works Board, has a clear plastic pocket, designed to take an A4 size Hot Works Permit, it contains a battery powered smoke detector and a 600gm power fire extinguisher and is easy to carry for use whilst working.

Hot-work permits are required for any operation involving open flames or producing heat and/or sparks and must be prepared by a competent person. Hot works include brazing, torch cutting, grinding, soldering and welding.

Ordering Product Code: HOT-WORK





CARBON MONOXIDE BOARD (CBN-MX)

The Carbon Monoxide Board is for use when working in confined areas, with gas fired bin heaters or areas with smoke and fuel fumes.

Carbon Monoxide is a colourless, odorless toxic gas, produced from incomplete combustion of gas, oil, fuel or wood.

Symptoms from carbon monoxide posionoing may cause:

Headaches, Dizziness, Nausea, Breathlessness, Collapse or loss of consciousness.

The alarm must be tested daily

NAUSEA

BREATHLESSNESS

Ordering Product Code: CBN-MX

COLLAPSE

IZZINESS

OSS OF CONSCIOUSNESS

WARNING CARBON MONOXIDE

is a colourless, odorless toxic gas, produced from inclomplete combustion of gas, oil, fuel, or wood.

SYMPTOMS MAY CAUSE:

Headache, Dizziness, Nausea, Breathlessness, Collapse, or loss of Conciousness

What to do if you have these symptoms: Open windows and doors. Turn off fuel burning appliances. Check that your work collegues are ok and leave the building. Seek medical attention.

What to do if someone else has these symptoms: Quickly help the victim out into fresh air. Shout for help. Call 999. Administer oxygen. Start CPR if unconcious.

TEST THIS ALARM DAILY BEFORE USE



IF YOU HEAR THIS CARBON MONOXIDE MONITOR ALARM, SLOWELY LEAVE THE BUILDING, CHECKING THAT YOUR WORK COLLEGUES ARE NOT LEFT BEHIND, TURN OFF ANY GAS APPLIANCES AND RAISE THE ALARM

Supplied by: www.steelbits.co.ul

More products can be seen at www.steelbits.co.uk



LADDER SANITISER STATIONS

LADDER SANITISER STATIONS

Our scaffold mounted hand sanitiser stations have been manufactured to be placed at the bottom and top of the ladder, by fixing to the scaffold tubes, so that trades can keep their hands clean and free of germs, whilst working.

Several trades may use the same ladder during the working day, so to help stop the spread of germs, a quick hand wash before you access the ladder to ascend or descend, will help prevent kill any germs.

You must make sure that the alcohol sanitiser has completely evaporated from your hands, before to access the ladder, so that your hands do not slip.





MATERIAL CALL OFF BOARD


MATERIAL CALL OFF BOARDS

We have been asked to design white boards to standardize offices in regions, with the material call off board being a fairly new addition.

We have getting great feedback from its simple to use format, but with the ability to amend as necessary. The description headers can be left blank, or text can be added to suit on larger orders, which ever suits.

Ordering product code:

MATCOF





OCCUPATIONAL HEALTH AND SAFETY

Ordering product code:

OHAS

OCCUPATIONAL HEALTH & SAFETY HAZARDS ON CONSTRUCTION SITES

Our newly developed Occupational Health & Safety site board, has relevant information for construction workers on the following subjects.

- 1 Musculoskeletal Disorders
- 2 Respiratory Disease.
- 3 Skin Disease
- 4 Noise at Work
- 5 Vibration

The board is delivered in 5 sections, for protection during transportation. It comes with 5 weather proof, A4 leaflet holders clearly marked with information for downloading the leaflets from our website, via a web link, or QR code.

Leaflets are not supplied with the board, you can download by visiting, www.steelbits.co.uk, or scanning the QR code on the leaflet holders.

The sign board is not a dry wipe board, no additional information must be added and only warm soapy water and a soft cloth must be used to clean.

The board is designed to be screw fixed to a piece of 18mm plywood, for best results, due to its 2400mm x 1150mm size.







PHONE ZONE SIGNS

A series of A3 signs for site, coming in packs of 12

Each sign is overlaid on a correx board, easily fixed with cable ties ore screws and washers, not supplied..

Ordering product code:

PHONE-ZONE





CAVITY CLEAR

CAVITY CLEAR

With an strong emphasis on quality in construction, keeping cavities clean is one continuing problem.

Help to keep cavities clean with minimal effort, our 3 piece Cavity Clear, comprising of a Mortar Pick, to chip away stubborn debris, a Box Scoop, to collect and lift out the debris and a Mortar Scraper to drag the debris into the scoop.

Ordering product code:

CAVITY CLEAR-3PC









GENERATOR DRIP TRAY'S

GENERATOR DRIP TRAYS

Our generator drip trays are made from light weight steel sheet with a yellow powder coated finish for a very ridged construction. The approximate overall size for transporting is,

L 700mm x W 550mm x H 100mm.

The approximate internal floor size

to fit your generator is,

L 640mm x W 500mm x H 100mm.

Each tray is fitted with an internal depth gauge, to highlight the size or quantity of spill absorbent materials required to clean up any spills that may occur.

A maximum level is identified, so be sure to check that your generator does not exceed the 16 Liters maximum containment, which would be approximately 14 liters, remembering the tank size, plus 10% rule!!!!!

The top edge of the tray is folded over to minimize the risk of sharp edges.

All corners are welded firm for a

safe seal and strength.

As with all tools, we advise daily inspections prior to use. You must always use the correct fuel can, with a purpose made funnel when refueling your generator and the fuel can must also be safeguarded against leaks.

Ordering product code:

DRIP-TRAY





PLASTERBOARD LOADING HATCH

Plasterboard Loading Hatch

Many of the houses today have small, awkward stairwells, making it very difficult to load in Plasterboards safely and efficiently. Our new loading Hatch has been made with the operative in mind, the slot is 60mm wide and 1300mm wide, allowing plasterboards and ridged insulation to be loaded through, it has a sloped leading edge, so boards can easily be directed to the slot, whilst being narrow enough to limit the risk of a foot slipping through.

The chequer plate lid is strong and easily closed or opened and for safety it's clearly marked "CAUTION", to show when it is open. There are 6 fixing holes around the perimeter of the angled frame, to allow the hatch to be fixed securely to the flooring.



Ordering Product Code: PBL-HATCH



STATIC WRAP POLYTHENE



Static Wrap is a clear polythene roll statically charged on 1 side for easy, multi-purpose covering within the construction industry (the inner surface as folded on the roll has the static charge).

Ideal for covering up kitchen units, sinks and toilets, following build clean on new houses, with no need for masking tapes to hold in place.

The static polythene attracts dust, so keeps the previously clean items from becoming covered in dust, saving further cleaning.

No need to use masking tape to hold coverings on, saving extra cleaning and protecting the customer's belongings before they move in.

Great for maintenance work, customer care & covering home owner's belongings whilst repair works are carried out.

Attracts atmospheric dust by design. 135 meters in length, 4 meters wide 540m2 per roll.

Ordering product code: **STWRP**





SPRAY STENCILS

Ordering product code:


STENCILS

The stencils are around 150mm in height and 650mm in length and made from a 3mm composite material, so fairly robust if looked after.

Bespoke stencils can be made, but set up cost apply, depending on how many are ordered.

Prices are based on quantities and size, so basically, the more we can fit on one sheet, the cheaper it becomes.







THRESHOLD PROTECTION (THD-PRO)

These hard wearing, anti slip threshold protectors, are made to take the everyday grind of foot traffic in construction.

These are made to measure to suit the requirements of the customer, due to the varying sizes of door thresholds.

They are made from an easy peel material, which allows it to be stuck in place for up to 3 months, giving protection through various build stages, helping to eliminate customer complaints and costly returns.

Ordering Product Code: THD-PRO





TRAFFIC MANAGEMENT PLANS

TRAFFIC MANAGEMENT PLANS

From design, to manufacture, all we will require is:

A clear black and white pdf site copy plan showing site entrance from the main highway internal site roads, plots and plot numbers the less detail the better for viewing on site.

Whilst we do need an original fully layered site outlay, it's always useful to have a scanned copy, showing areas to be cropped.

We need the development name and address and high resolution copy of your company logo.

The whole package for each site board comes with:

- 1 Dry-wipe TMP seal over galv board 1200mm x 900mm
- 2 Six assorted dry-wipe pens, As Follows: Black Blue Brown Red Orange Green
- 1 Clear storage box.

60-Magnetic information pieces 15mm x 15mm, as follows: 2 no: Site Office / First Aid / Compound 3 no: Fire Assembly Point 3 no: Fire Equipment Point 3 no: Materials Delivery Area 4 no: Materials Storage Area 2 no: Recycling Area 4 no: Vehicle Reversing In This Area 2 no: Warning Bucket Changing In This Area 5 no: Speed Limit 6 no: No Traffic Entry 3 no: Traffic Officer 5 no: One Way 3 no: Deep Excavations

2 no: Silo Area

Ordering product code: **TMP**







NEAR MISS BOARDS

tional incident that cou

What is a near missi

NEAR MISS BOARDS

This board comes as a 1180mm x 600mm and it is supplied with a red locking document letter box, for inserting completed forms, plus a document pocket for blank forms (forms not supplied)

Ordering product code: NEARMISS-1180600





TEMPORARY METER BOX



Temporary Meter Box

Made to sit in place until the meter box is fitted, saving unnecessarry damage caused by onging works. The blanks are made to fold into the shape of the aperture and secure by taping the corners.

We currently offer 2 sizes, 535mm x 375mm and 745mmx 245mm, with customer logo, bespoke sizes can be made. When not in use, simplet remove the tape from each corner and flat pack for easy storage.



Contact: sales@steelbits.co.uk for more information and orders.



High Tack Printed Tapes

We now offer a range of identification tapes for use at pre-plaster stage, helping with operative awareness and quality.




Loft Hatch Tape



Double Board Tape








Insulation Tape



Clean Socket Tape





Bespoke tapes can be manufactured, to the clients specification, minimum 72 rolls per order, plus a small set up charge.

Contact: sales@steelbits.co.uk for more information and orders.



BLADE SAFE

BLADE SAFE

Blade Safe – is a used utility blade, safe disposal system, incorporating practice methodology designed to deliver safe management of used blades within construction and other industries.

Steel Bits Ltd have worked together with a UK based manufacturer, to come up with a safe means of disposing of used utility knife blades, within the manufacturing and construction industry or even private DIY, allowing the filled container to be disposed of safely in metal recycling skips.

The Blade Safe container and its contents are 100% recyclable and it is also 100% manufactured in the UK.

We've been working hard to improve and maintain the highest standards for our Blade Safe containers and this standard includes more rigorous testing for penetration, resistance to damage and leakage if the container is dropped. We are proud to boast that our Blade Safe container has been crush load tested axially, by means of flat pattern top and bottom to a load of 10.49kN (1 069.68 kilograms force or 1,07 tonnes-force)

Safe and secure Blade Safe disposal is vital to eliminate the risks that come with handling and managing used blade waste within manufacturing & construction industry and it is imperative that your business tries to help wherever it can, by knowing where used utility knife blades are at all times.

We can supply you with all of the Blade Safe containers that you need and we supply safety literature and site signage within the packs supplied.

Incorrectly controlled used utility blades can pose a serious health risk to anyone if not disposed of correctly, working up through newly laid turf on customer's gardens, hidden in waste in skips on sites, the list is endless.


Ordering product code: BLADE-SAFE-SITE-PACK

<section-header><section-header><section-header><section-header><complex-block><complex-block><complex-block><complex-block><complex-block><complex-block><complex-block>

BLADE SAFE

YOU ARE WORKING ON A BLADE SAFE DEVELOPMENT








BLADE SAFE

The Blade Safe has been design with a limited access slot punched into the top of the container, to fit a blade measuring 60mm in length, allowing the sharp edge of the blade to be inserted fist, this allows the operator to safely insert the used blade, without fear of injury, also ensuring that only appropriate sized blades can be placed inside, so discouraging the use of Blade Safe containers for non-appropriate waste. The narrow aperture also makes it safer to use in areas where the public may be present and the limited access slot is also designed, to reduce and used blade spillage when in use



BLADE SAFE

Site Pack

Each site pack comes with:

6 x 1ltr Blade Safe containers
6 x Dome container seal tabs
2 x A3 User guide posters for offices and canteens
2 x Site signs (THIS IS A BLADE SAFE SITE)
2 x Keyring depth check guides

Ordering product code: BLADE-SAFE-SITE-PACK

The Site pack will come with 2 depth gauge keyring's, for ease of assessing what room is left within each container.

When the Blade Safe is full, make sure the top of the container is dirt free, peel off the protective layer from the back of one of the reinforced slot cover stickers supplied and apply over the slot. This will help ensure that no spillage occurs during transportation.



TEEL BITS TANGLEMAT PROTECTION - PVC

Tanglemat Protection - PVC

- Free-draining reversible matting for safety in wet areas.
- Soft vinyl loops for comfort.
- Suitable for most applications.
- Overall height 12mm.
- Low profile style mat.
- Suitable for external and internal use.
- Flexible-can be used as surface protection.
- Tanglemat can be sold as one complete roll 12m x 1.2m
- Individual mats can be cut



Contact: sales@steelbits.co.uk for more information and orders.



STEP ZONE

STEP ZONE

PEEL CLEAN XTRA

The none slip **STEP ZONE** cavity plate, is designed to make safer acces from the scaffolding, when you step up to the working deck from the scaffold, or when stepping down from the deck, back onto the scaffolding.

Printed in bright visible colours to alert the operatives where its safe to step, so very visible and effective.

Bespoke sizes can be manufactured to suit variable cavity sizes, just specify sizes when ordering.





Contact: sales@steelbits.co.uk for more information and orders.



STEP ZONE

STEP ZONE

The none slip **STEP ZONE** cavity plate, is designed to make safer acces from the scaffolding, when you step up to the working deck from the scaffold, or when stepping down from the deck, back onto the scaffolding.

Printed in bright visible colours to alert the operatives where its safe to step, so very visible and effective.

Bespoke sizes can be manufactured to suit variable cavity sizes, just specify sizes when ordering.





LOFT HATCH DO NOT OVER BOARD

Contact: sales@steelbits.co.uk for more information and orders.